








THE GRINDER[®] COMPACT, LOW PROFILE

Simple in design yet masterfully sleek in appearance as well as compact in size, THE GRINDER®3 is a tool for classroom settings and hobbyists. The motor of THE GRINDER®3 is quiet and powerful operating at 4000 RPM.





FEATURES:

- Powerful Motor
 - 4000 RPM •
 - 110/120 V •
- 5 Year Limited Warranty •





DESIGNED, ENGINEERED & ASSEMBLED IN THE USA



NO KEYS REQUIRED, REUSABLE HOLDER




3/4" Included with THE GRINDER®3

PREVENTS CHIPPING, 100% UTILIZATION

Engineered with an industrial elastomer, the patented Quick-Fit Bit System absorbs grinding vibration and can be adjusted vertically on the grinder shaft, enabling full utilization of the grinding surface. Changing bits is fast, even for individuals with reduced grip strength. Replacement sleeves available in Rapid, Standard, Fine and Ultra Fine varieties.

Aqua Flow System®

NO SPONGE NEEDED



CONTINUOUS WATER FLOW

The patented Aqua Flow System brush bristles transfer water from the reservoir to grinding bit heads via capillary action, requiring addition of water only at the onset of grinding.



INCLUDED ACCESSORIES

| Product | Techniglass Item # |
|--------------------------------|----------------------|
| Quick-Fit Bit® System 200 - ¾" | QFBS-200-3/4 |
| Aqua Flow System® | AFS-TG |
| Everwear® Bit Guard - ¾" | GS-BIT GUARD ¾" |
| Mini Splash Guard | G2-MINI SPLASH GUARD |

COMPATIBLE OPTIONAL ACCESSORIES



G2S-SET

THE SET® STRAIGHT EDGE TOOL

The SET Straight Edge Tool perfectly aligns atop THE GRINDER® work surface, enabling glass to easily slide between the grinding bit and the straight edge guide bar.

Precisely grind rectangle and square shaped glass to your desired dimensions. Finish your pieces with confidence and accuracy.



G3-EYESHIELD KIT

LENS-GRADE EYE SHIELD

The lens-grade eye shield can be easily attached. It provides protection from minute glass particles that become airborne.

